

Timber Fencing

Standard Timber Paling 1.8H/1.95H

- Treated pine 150*12 & 100*12 paling
- Treated Pine Rails 75*50
- Treated pine plinth boards 150*25
- Hardwood post 125*75
- Electro Gal Nail used 90mm & 57mm





- 03 8375 1800
- www.aclassfencing.net.au
- 💌 70 Sheahan Road, Truganina
- nfo@aclassfencing.net.au



Timber Fencing

Paling with Capping 1.83/1.98H

- Treated pine 150*12 & 100*12 paling
- Treated Pine rails 75*50
- Treated pine plinth boards 150*25
- Hardwood post 125*75
- **■** Treated Pine Capping 90*45
- Electro Gal Nail used 90mm & 57mm



-Paling Side



- 03 8375 1800
- www.aclassfencing.net.au
- 🔼 70 Sheahan Road, Truganina
- info@aclassfencing.net.au



Trusted Name in Quality

Timber Fencing

Paling with Capping & 125*75 Exp Post 1.83/1.98H

- Treated pine 150*12 & 100*12 paling
- Treated Pine rails 75*50
- Treated pine plinth boards 150*25
- Hardwood Exposed post 125*75
- **■** Treated Pine Capping 90*45
- Electro Gal Nail used 90mm & 57mm





- 03 8375 1800
- www.aclassfencing.net.au
- 20 70 Sheahan Road, Truganina
- nfo@aclassfencing.net.au

Timber Fencing

FENCING

Susted Name in Quality

Paling with Capping & 125*125 Exp Post 1.83/1.98H

- **■** Treated pine 150*12 & 100*12 paling
- Treated Pine rails 75*50
- Treated pine plinth boards 150*25
- **■** Cypress Exposed post 125*125
- **■** Treated Pine Capping 90*45
- Electro Gal Nail used 90mm & 57mm



railing side

| Company |

- 03 8375 1800
- www.aclassfencing.net.au
- 2 70 Sheahan Road, Truganina
- nfo@aclassfencing.net.au